

شهادة اعتماد

رقم الشهادة: JAS Test-107

يشهد نظام الاعتماد الأردني - وحدة الاعتماد أن

مختبر شركة الباحة لانتاج الصودا الكلورين / الضليل - الزرقاء

الضليل - الزرقاء

هاتف: ٠٠٩٦٢٥٣٨٢٦٨٧٤، فاكس: ٠٠٩٦٢٥٣٨٢٦٨٧٩

ص.ب: ١٤١ الضليل ١٣١٣٦ الأردن

بريد إلكتروني: info@bccj-jo.com

قد تم منحه هذه الشهادة وفقاً لتعليمات "إدارة إجراءات اعتماد جهات تقييم المطابقة رقم (٤) لسنة ٢٠٢٢" ومتطلبات المواصفة الدولية الأيزو/أبيسي ٢٥:١٧:٢٠١٧ بعد التأكد من كفاءة المختبر لإجراء:

**الفحوصات الكيميائية للمياه ومنتجات الصودا الكاوية وحامض الهيدروكلوريك
وهايبوكلورايت الصوديوم وغاز الكلورين**

حسب الملحق رقم (١)

صدرت في عمان بتاريخ: ٢٠٢٠/٠٥/١١ وتعتبر سارية المفعول حتى تاريخ: ٢٠٢٥/٠٥/١٠.

تم تحديث الشهادة بتاريخ: ٢٠٢٤/٠٥/٠١.

مدير وحدة الاعتماد

م. لانا مراشده

- تشكل الملحقات وأي وثائق تسلّم عند الاعتماد جزءاً لا يتجزأ من شهادة الاعتماد وسوف يتم عكس أية تعديلات تطرأ على الشهادة على تلك الوثائق أيضاً.
- تتكون الشهادة من صفحتين وتحتوي الصفحة الثانية على التفاصيل والتحديثات الخاصة بحالة اعتماد الجهة.
- للإصدارات الأحدث من هذه الوثيقة يمكنكم الاطلاع على الموقع الإلكتروني لوحدة الاعتماد حسب الرابط التالي: <https://au.gov.jo>
- يجب على المختبر المعتمد إصدار تقارير فحص تحمل رمز نظام الاعتماد الأردني ضمن مجال الاعتماد الموضح في الملحق رقم (١) فقط ووفقاً لتعليمات استخدام رمز و شعار نظام الاعتماد الأردني رقم (٦) لعام ٢٠١٦ والتعليمات المعدلة لها لعام ٢٠١٧ المعدة من قبل وحدة الاعتماد.
- يقع لوحدة الاعتماد سحب شهادة الاعتماد في حال مخالفة المختبر لشروط ومتطلبات الاعتماد المعروفة في تعليمات "إدارة إجراءات اعتماد جهات تقييم المطابقة رقم (٤) لسنة ٢٠٢٢" وفي المواصفة الدولية الأيزو/أبيسي ٢٥:١٧:٢٠١٧.

تاريخ الاعتماد

رقم الشهادة: JAS Test-107

التاريخ	تفاصيل الاعتماد
٢٠٢٠/٠٥/١١	منح الاعتماد لأول مرة





Certificate of Accreditation

The certificate number: JAS Test-107

The Jordanian Accreditation System – Accreditation Unit

has accredited

**The Laboratory of Al-Baha Company for Caustic Chlorine
Industry / Al-Dulail – Zarqa**

Al-Dulail - Zarqa

Tel.: +96253826874, Fax: +96253826879

P.O. Box 141 Al-Dulail 13136 Jordan

E-mail: info@bccj-jo.com

under the terms of the “Instructions for Administration of Accreditation Procedures of Conformity Assessment Bodies No. (4) for the Year 2022” and the requirements of the International Standard ISO/IEC 17025:2017 as the laboratory is competent to carry out:

**Chemical Analysis of Water, Caustic Soda, Hydrochloric Acid,
Sodium Hypochlorite and Chlorine Gas
according to Annex no. (1)**

Issued in Amman on: **11-05-2020** and is valid until: **10-05-2025**.

This certificate was updated on: **01-05-2024**

Accreditation Unit Director

Eng. Lana Marashdeh

- The annexes and the documents submitted in connection with the accreditation certificate are deemed to form an integral part of the certificate. Thereof, any amendments made to the certificate are to be reflected also on them.
- The certificate consists of two pages and the second page contains information on the history of CAB accreditation
- The approved and most recent version of this document can be viewed on JAS-AU website using the link: <https://au.gov.jo>
- The accredited laboratory is obliged to issue test reports carrying the accreditation symbol only in the scope of accreditation specified in annex no. (1), and according to the internal instructions " Instructions for the use of JAS Symbol and logo No. (6) for the year 2016 and its amendment No. (1) for the year 2017" prepared by the Accreditation Unit (JAS-AU).
- The Accreditation Unit (JAS-AU) is authorized to withdraw this accreditation certificate if the requirements specified in the “Instructions for Administration of Accreditation Procedures of Conformity Assessment Bodies” No.(4) for the year 2022 and ISO/IEC 17025:2017 are no longer met.

Accreditation History

Certificate Number: JAS Test-107

Date	Accreditation Details
11/05/2020	Initial accreditation according to Annex No. (1)

