



THE HASHEMITE KINGDOM OF
JORDAN



Accreditation Unit

Annex (1)

To The Accreditation Certificate No. **JAS Test -116** Dated **08/10/2025**
for the **Laboratories and Quality Control Department at Jordan Petroleum Refinery**
Company Ltd. / Zarqa
Scope of Accreditation
Testing of Petroleum Products

Tested Parameter/ Type of Test/ Measured Quantity	Test Methods/ Standards
Gasoline, Kerosene, Diesel and Aviation Turbine (Jet Fuel)	
Density and Relative Density	• ASTM D4052-22: Standard Test Method for Density and Relative Density of Liquids by Digital Density Meter
Boiling Ranges at Atmospheric Pressure	• ASTM D86-23ae2: Standard Test Method for Distillation of Petroleum Products and Liquid Fuels at Atmospheric Pressure
Copper Strip Corrosion	• ASTM D130-19: Standard Test Method for Detection of Copper Corrosion from Petroleum Products by the Copper Strip Tarnish Test
Kerosene and Aviation Turbine (Jet Fuel)	
Kinematic Viscosity	• ASTM D445-24: Standard Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity)
Freezing Point	• ASTM D7153-22ae1: Standard Test Method for Freezing Point of Aviation Fuels (Automatic Laser Method)
Flash Point	• ASTM D56-22: Standard Test Method for Flash Point by Tag Closed Cup Tester
Diesel	
Cold Filter Plugging Point	• ASTM D6371-24: Standard Test Method for Cold Filter Plugging Point of Diesel and Heating Fuels
Flash Point	• ASTM D93-25: Standard Test Methods for Flash Point by Pensky-Martens Closed Cup Tester
Calculated Cetane Index	• ASTM D4737-21: Standard Test Method for Calculated Cetane Index by Four Variable Equation



THE HASHEMITE KINGDOM OF
JORDAN



Accreditation Unit

Annex (1)

To The Accreditation Certificate No. **JAS Test -116** Dated **08/10/2025**
for the **Laboratories and Quality Control Department** at **Jordan Petroleum Refinery**
Company Ltd. / Zarqa

Scope of Accreditation

Testing of Petroleum Products

Tested Parameter/ Type of Test/ Measured Quantity	Test Methods/ Standards
Gasoline	
Hydrocarbon Types (aromatics, saturates, olefins), Oxygenated Compounds, Benzene, Oxygen Content	ASTM D6839- 21a: Standard Test Method for Hydrocarbon Types, Oxygenated Compounds, Benzene, and Toluene in Spark Ignition Engine Fuels by Multidimensional Gas Chromatography
Aviation Turbine (Jet Fuel)	
Fatty Acid Methyl Esters (FAME)	IP 599-2014: Determination of FAME content in aviation turbine fuel

List of employees in the laboratory who are technically responsible for issuing the test reports in the scope of accreditation:

1. Laboratories and Quality Control Manager: Eng. Talal Al-Enezi
2. Quality Manager and Lab Technician: Mrs. Amani Al-Zyoud
3. Technical Manager and Lab Technician: Mr. Osama Hazaa

الملحق رقم (١)

لشهادة الاعتماد رقم **JAS Test-116** الممنوحة بتاريخ ٢٠٢٥/١٠/٠٨

لدائرة المختبرات وضبط الجودة في شركة مصفاة البترول الأردنية المساهمة المحدودة/ الزرقاء

مجال الاعتماد

فحوصات المشتقات النفطية

المواصفات المتبعة/ طرق الفحص	القيمة المقاسة / نوع الفحص/ الخاصية المقاسة
وقود السيارات، وقود الكاز، زيت الوقود الخفيف (الديزل)، وقود الطائرات	
ASTM D4052-22: طريقة الفحص القياسية للجمعية الأمريكية للفحوص والمواد لقياس الكثافة والكثافة النسبية للسوائل باستخدام مقياس جهاز الكثافة الأوتوماتيكية	الكثافة والكثافة النسبية
ASTM D86-23ae2: طريقة الفحص القياسية للجمعية الأمريكية للفحوص والمواد لتقطير المشتقات النفطية والوقود السائل عند الضغط الجوي	مدى الغليان عند الضغط الجوي
ASTM D130-19 : طريقة الاختبار القياسية للكشف عن تآكل شريط النحاس بواسطة المنتجات البترولية	تآكل شريط النحاس
وقود الكاز ووقود الطائرات التوربينية	
ASTM D445-24 طريقة الفحص القياسية للجمعية الأمريكية للفحوص والمواد لقياس اللزوجة الحركية للسوائل الشفافة والمعممة (وحساب اللزوجة المطلقة)	اللزوجة الحركية للسوائل
ASTM D7153-22ae1 طريقة الفحص القياسية للجمعية الأمريكية للفحوص والمواد لقياس درجة الانجماد لوقود الطائرات باستخدام جهاز الفحص الأوتوماتيكية بالليزر	درجة الإنجماد
ASTM D56-22 طريقة الفحص القياسية للجمعية الأمريكية للفحوص والمواد لقياس درجة الوميض باستخدام جهاز (Tag) ذو الوعاء (الفنجان) المغلق	درجة الوميض
زيت الوقود الخفيف (الديزل)	
ASTM D6371-24 طريقة الفحص القياسية للجمعية الأمريكية للفحوص والمواد لقياس درجة الحرارة التي يحدث عندها انسداد لمُرْتَبِحات وقود الديزل ووقود التدفئة المنزلية بفعل البرودة	درجة الحرارة التي يحدث عندها انسداد لمُرْتَبِحات وقود الديزل بفعل البرودة
ASTM D93-25 طريقة الفحص القياسية للجمعية الأمريكية للفحوص والمواد لقياس درجة الوميض باستخدام جهاز (Pensky-Marten) ذو الوعاء (الفنجان) المغلق	درجة الوميض
ASTM D4737-21 طريقة الاختبار القياسية لحساب مؤشر السيتان باستخدام معادلة ذات أربعة متغيرات	مؤشر السيتان المحسوب
وقود السيارات	
ASTM D6839-21a طريقة الاختبار القياسية لتحديد أنواع الهيدروكربونات ، المركبات المؤكسدة ، البنزين والتولوين في المنتجات البترولية السائلة باستخدام كروماتوغرافيا الغاز متعددة الأبعاد	محتوى الأرومات، الأوليفينات، المشبعة

الملحق رقم (١)

لشهادة الاعتماد رقم **JAS Test-116** الممنوحة بتاريخ ٢٠٢٥/١٠/٠٨

لدائرة المختبرات وضبط الجودة في شركة مصفاة البترول الأردنية المساهمة المحدودة/ الزرقاء

مجال الاعتماد

فحوصات المشتقات النفطية

المواصفات المتبعة/ طرق الفحص	القيمة المقاسة / نوع الفحص/ الخاصية المقاسة
وقود الطائرات	
IP 599-2014 تحديد محتوى الإسترات الميثيلية للأحماض الدهنية (FAME) في وقود الطائرات	الإسترات الميثيلية للأحماض الدهنية (FAME)

قائمة بالأشخاص الذين يتحملون المسؤولية الفنية لتقارير الاختبار الصادرة عن المختبر في مجال الاعتماد:

١. مدير دائرة المختبرات وضبط الجودة: م. طلال العنزي
٢. مدير الجودة وفني مختبر: السيدة أماني الزبيد
٣. مدير فني وفني مختبر: السيد أسامة هزاع