

شهادة اعتماد

رقم الشهادة: JAS Test – 059

يشهد نظام الاعتماد الأردني – وحدة الاعتماد أن

مختبرات شركة محمد أبو الخير وشركاه (مختبرات ناراتك) / عمان

خلدا – عمان - الأردن

هاتف: ٠٠٩٦٢٦٥٥٠٦٥٣٩ ، فاكس: ٠٠٩٦٢٦٥٥٠٦٥٣٨

ص.ب: ٣٣١٠٠٢ عمان ١١١٩٤ الأردن

بريد إلكتروني: micro@naratechlab.com

قد تم منحها هذه الشهادة وفقاً لتعليمات "إدارة إجراءات اعتماد جهات تقييم المطابقة رقم (٤) لسنة ٢٠٢٢" ومتطلبات المواصفة الدولية الأيزو/أيسي ٢٥:١٧:٢٠١٧ بعد التأكد من كفاءة المختبر لإجراء:

الفحوصات الكيميائية للأغذية، المياه، مياه الشرب، المياه العادمة و المطهرات و المعقمات والفحوصات الميكروبيولوجية للأغذية، المياه، مياه البرك، المياه العادمة و مواد التجميل حسب الملحق رقم (١) الفحوصات الكيميائية للأغذية و المياه و مواد التجميل و جمع عينات المياه والغذاء للفحوصات الجرثومية حسب الملحق رقم (٢) والفحوصات الكيميائية لمياه الشرب حسب الملحق رقم (٣) الفحوصات المايكروبيولوجية لمنتجات التطهير والتعقيم الكيميائية حسب الملحق رقم (٤)

صدرت في عمان بتاريخ: ٢٠٢٢/٠٤/١٨ وتعتبر سارية المفعول حتى تاريخ: ٢٠٢٧/٠٤/١٧

منح الاعتماد لأول مرة بتاريخ: ٢٠١٢/٠٤/٠١

تم تحديث الشهادة بتاريخ: ٢٠٢٦/٠٦/٢٤

مدير وحدة الاعتماد

م. لانا مراشدة

تشكل الملحقات وأي وثائق تسلم عند الاعتماد جزءاً لا يتجزأ من شهادة الاعتماد وسوف يتم عكس أية تعديلات تطرأ على الشهادة على تلك الوثائق أيضاً.

تتكون الشهادة من صفحتين وتحتوي الصفحة الثانية على التفاصيل والتحديثات الخاصة بحالة اعتماد الجهة.

للإصدارات الأحدث من هذه الوثيقة يمكنكم الاطلاع على الموقع الإلكتروني لوحدة الاعتماد حسب الرابط التالي: <https://au.gov.jo>

يجب على المختبر المعتمد إصدار تقارير فحص تحمل رمز نظام الاعتماد الأردني ضمن مجال الاعتماد الموضح في الملحق رقم (١) و الملحق رقم (٢) و الملحق رقم (٣) و الملحق رقم (٤) ووفقاً لتعليمات رمز وشعار نظام الاعتماد الأردني لسنة ٢٠٢٤ المعدة من قبل وحدة الاعتماد. يحق لوحدة الاعتماد سحب شهادة الاعتماد في حال مخالفة المختبر لشروط ومتطلبات الاعتماد المعروفة في تعليمات "إدارة إجراءات اعتماد جهات تقييم المطابقة رقم (٤) لسنة ٢٠٢٢" وفي المواصفة الدولية الأيزو/أيسي ٢٥:١٧:٢٠١٧.

تاريخ الاعتماد

رقم الشهادة: 059 – JAS Test

التاريخ	تفاصيل الاعتماد
٢٠١٢/٠٤/٠١	منح الاعتماد لأول مرة
٢٠٢٢/٠٤/١٨	تجديد الاعتماد حسب الملحق رقم (١)
٢٠٢٣/١٢/٢٤	توسيع الاعتماد حسب الملحق رقم (٢)
٢٠٢٥/٠٢/٠٢	توسيع الاعتماد حسب الملحق رقم (٣)
٢٠٢٦/٠٥/٠٣	سحب جزئي اختياري للاعتماد في مجال فحص الكشف عن الليجيونيلا في المياه بجهاز RT-PCR حسب طريقة الفحص Biotecon Diagnostics Version 2, January 2020 R602 45-1-ST057. Revision 3 وفي مجال تعداد جراثيم البكتيريا اللاهوائية المختزلة للكبريتيت (كلوستريديا) في المياه والمياه العادمة حسب المواصفة الدولية أيزو ٦٤٦١-٢ : ١٩٨٦ - طريقة الترشيح الغشائي حسب الملحق رقم (١)
٢٠٢٦/٠٦/٢٤	توسيع الاعتماد حسب الملحق رقم (٤)



Certificate of Accreditation

The certificate number: JAS Test– 059

The Jordanian Accreditation System – Accreditation Unit

has accredited

**The Laboratories at Mohammad Abu-EIKhair and Partners Co.
(Naratech Labs) / Amman**

Khalda – Amman Jordan
Tel.: +962 6 5506539, Fax: +962 6 5506538
P.O. Box 331002 Amman 11194 Jordan
E-mail: micro@naratechlab.com

under the terms of the “Instructions for Administration of Accreditation Procedures of Conformity Assessment Bodies No. (4) for the Year 2022” and the requirements of the International Standard ISO/IEC 17025:2017 as the laboratory is competent to carry out:

Chemical Testing of Food and Water, Drinking Water, Wastewater, Sanitizers and Microbiological Testing of Food, Cosmetics, Water, Pool Water and Wastewater according to Annex No. (1) , Chemical Testing of Food and Water and Cosmetics and Sampling of Food and Water for Microbiological Testing according to Annex No. (2) , Chemical Testing of Drinking Water according to Annex No. (3) and Microbiological Testing of Chemical disinfectants and antiseptic product according to Annex No. (4)

Issued in Amman on 18-04-2022 and is valid until: 17-04-2027

Initial accreditation date: 01-04-2012

The certificate was updated on: 24-06-2026

Accreditation Unit Director

Eng. Lana Marashdeh

- The annexes and the documents submitted in connection with the accreditation certificate are deemed to form an integral part of the certificate. Thereof, any amendments made to the certificate are to be reflected also on them.
- The certificate consists of two pages and the second page contains information on the history of CAB accreditation
- The approved and most recent version of this document can be viewed on JAS-AU website using the link: <https://au.gov.jo>
- The accredited laboratory is obliged to issue test reports carrying the accreditation symbol only in the scope of accreditation specified in annex no. (1), annex no. (2), annex no. (3), annex no. (4) and according to the internal instructions "Instructions for the Jordan Accreditation System Symbol and Logo for the year 2024" prepared by the Accreditation Unit (JAS-AU).
- The Accreditation Unit (JAS-AU) is authorized to withdraw this accreditation certificate if the requirements specified in the “Instructions for Administration of Accreditation Procedures of Conformity Assessment Bodies” No. (4) for the year 2022 and ISO/IEC 17025:2017 are no longer met.

Accreditation History

Certificate Number: JAS Test-059

Date	Accreditation Details
01/04/2012	Initial accreditation
18/04/2022	Reaccreditation according to Annex No. (1)
24/12/2023	Extending accreditation according to Annex No. (2)
02/02/2025	Extending accreditation according to Annex No. (3)
03/05/2026	Voluntary Partial Reduction of Accreditation in the scope of Legionella detection in water using RT-PCR, according to the Biotecon Diagnostics Version 2, January 2020 R602 45-1-ST057, Revision 3 method; and in the scope of counting sulfite-reducing anaerobic bacteria (Clostridia) in water and wastewater, according to the international standard ISO 6461-2:1986 - membrane filtration method. according Annex No. (1).
24/06/2026	Extending accreditation according to Annex No. (4)